



1/16

Fig. 1


Synthesis of a linear molecule

2/16

Fig.2




4/16



Lane 1 2 3 4 5 6 7 8

Fig. 4

Fig. 5



Building block 7-mer oligonucleotides

- BB 1: pTACXACA complementary to codon 1
- BB 2: pTACXACA complementary to codon 2
- BB 3: pAACXACT complementary to codon 3

X = Carboxy dT
p = Phosphate

6/16

Fig. 6

Codon 4 Codon 3 Codon 2 Codon 1
 5' AGCAGTTTGTAGTAACTTTGTAGTACCTCGACCAC TTT GGAGCTGGTG TTT

Anticodon-building block 7-mers


Anticodon-building block subtype 1: pTNNXNNA

Anticodon-building block subtype 2: pANNXNNT

X = Carboxy dT with attached building block


Fig.7

7/16



Template-primer hairpin



Ligate oligo A & B




Denature

X-link

Cleave linker




Building block B




Building block A

8/16



Ligate anti-codons
Separate template and
Building blocks



React chemical entities



 = Solid support

Fig. 8

9/16





**Fig. 9**

Fig. 10A


11/16

**Fig. 10B**


12/16




13/16

 = Solid support**Fig. 11B**

14/16


Fig. 11C = Solid support

15/16



 = Solid support

16/16

**Fig. 12B**

= Solid support